



VT Hackney

A company of VT Systems



Model TU1982 Heavy Duty Rescue Trailer

Hackney

Sourcewell 
Formerly NJPA

Awarded Contract

#022818-VTH

TU-1982

Hackney Emergency Vehicles

NJPA - HACKNEY TU1982 TECHNICAL RESCUE

Sales Rep:

Terms:

Drawing #:

Est. Delivery Date: / /

Customer PO #:

Penalty:

Customer #:

QPF #:

Exp. Date: 03/09/2018

Quote No: 10023-0001

BODY: XTU100 NJPA TU1982 TECH RESCUE TRAILER

08/17/2018


Page 1

| PART NO | DESCRIPTION | QTY |
|------------|--|----------|
| | == NJPA TU1982 TECH RESCUE TRAILER - == | 1 |
| | == QW RELEASE - Effective 01-02-18 == | 1 |
| | CAB and CHASSIS | 1 |
| 10-02-1800 | FREIGHTLINER M2-112 - TRACTOR - 2-DR CUMMINS L9 - 350HP | 1 |
| 10-19-0100 | FLUID LEVEL DATA - ELECTRONIC DISPLAY | 1 |
| 10-19-1018 | VDR Supplied with Chassis (Freightliner only) | 1 |
| 10-19-1025 | "MUST BE SEATED AND BELTED" - WARNING PLATE | 1 |
| 10-19-1045 | WARNING PLATE - VEHICLE SPECIFICATION DATA | 1 |
| 10-19-1075 | "DO NOT WEAR HELMET WHILE SEATED" - WARNING PLATE | 1 |
| 10-41-0000 | HOLDER - UNIVERSAL HELMET - ZIAMATIC (EA) | 2 |
| 11-16-0220 | BATTERY CONDITIONER - PROGRESSIVE DYNAMICS | 1 |
| 11-17-0020 | SHOREPOWER INLET, 20 AMP W/COVER & FEMALE PLU | 1 |
| 11-31-5005 | ENGINE COMP'T LIGHT - Centered Under Hood | 1 |
| 11-33-0802 | GROUND LIGHTS - TECNIQ LED - FRONT CAB DOOR (PR) | 1 |
| 12-00-1010 | MUD FLAPS - RE-INSTALL CHASSIS OEM | 1 |
| 12-11-1900 | ULTRA-LOW SULFUR DIESEL FUEL ONLY LABEL | 1 |
| 12-11-1950 | DEF FLUID LABEL | 1 |
| 12-13-2000 | REAR WHEEL QUARTER FENDERS (PR) | 1 |
| 12-57-0004 | TIRE PRESSURE MONITORING - ACCU-PRESSURE CAP - 14-WHL | 1 |
| | BODY and FRAME OPTIONS | 1 |
| 20-09-0110 | TRAILER & FRAME - TANDEM AXLES - BID FORMAT | 1 |
| 20-19-0350 | TRAILER BODY - TU1982 - 19 COMPARTMENT - USAR - 82/50 | 1 |
| 20-49-9000 | OVERALL HEIGHT PLATE | 1 |
| 20-61-0200 | ROLLERS, STAINLESS STEEL ROLL-UP DOOR - ILOS - (Ea. Comp't Door) | 18 |
| 20-70-0500 | BELLY COMPARTMENT - TRAILER | 1 |

| PART NO | DESCRIPTION | QTY |
|--------------------------------|--|----------|
| 20-70-1900 | DOORS, DOUBLE HINGED - ILOS ROLL-UP | 1 |
| 20-71-0010 | WHEELHOUSING SKIRT PANEL - BRIGHT ALUMINUM TREADPLATE | 1 |
| 20-71-0320 | FENDERETTES, STAINLESS STEEL (PR) | 2 |
| 20-71-2529 | ROOF, BRIGHT TREAD PLATE - ANTI-SLIP - BODY - 29-ft | 1 |
| 20-72-3000 | ULTRA-LOW SULFUR DIESEL FUEL ONLY LABEL | 1 |
| 20-72-3100 | DEF FLUID LABEL | 1 |
| EXTERIOR BODY OPTIONS | | 1 |
| 22-21-0000 | STONE GUARDS, FRT & REAR - D/P CORNERS (4) | 1 |
| 22-25-2000 | BUMPER, REAR STEP BRIGHT TREAD PLATE | 1 |
| 22-31-3500 | STEP, DROP DOWN FOR TRAILER (EA) | 4 |
| 22-33-1000 | STEP, REAR WHEEL ALUMINUM STEP (PR) | 2 |
| 22-40-0090 | WHEEL CHOCK - ZICO COLLAPSIBLE TYPE (EA) | 2 |
| 22-40-0100 | HOLDER FOR WHEEL CHOCK - ZICO SQCH-44 (EA) | 2 |
| 22-50-3005 | LICENSE FRAME W/LIGHT-SURFACE MNT-CPI C30004 | 1 |
| 22-51-1000 | MUD FLAPS, REAR (PR) BLACK RUBBER | 1 |
| INTERIOR BODY OPTIONS | | 1 |
| 23-11-0506 | UNISTRUT "C" CHANNEL (set of 4) - up to 50"L | 10 |
| 23-11-0507 | UNISTRUT "C" CHANNEL (set of 4) - Up to 70"L | 8 |
| 23-11-4000 | SHELF, FULL DEPTH USAR TUNNEL - up to 24"W | 2 |
| 24-30-5000 | PARTITION - UP TO 57"H x 197"L - 2" FRAMED | 1 |
| EXTERIOR BODY OPTIONS | | 1 |
| PAINT and GRAPHICS | | 1 |
| 40-00-0200 | PAINT TRAILER - PRIMARY COLOR | 1 |
| 42-12-0000 | TOUCH UP PAINT - ONE QUART | 1 |
| 42-90-0500 | COMPARTMENT WALLS/FLOORS COATING - MULTISPEC (ea. comp't) | 18 |
| 42-99-0010 | UNDERCOATING CAB, TRAILER FRAME & BODY | 1 |
| 43-20-3000 | STRIPE, REFLECTIVE 6" PRICE PER FOOT REQS DWG | 86 |
| 43-20-8035 | CHEVRON STRIPE - REAR TRAILER BODY W/HINGED REAR DOOR - HEAVY RESCUE | 1 |
| 43-20-8120 | REFLECTIVE STRIPING ACROSS FACE OF BUMPER | 1 |
| 12VDC ELECTRICAL SYSTEM | | 1 |
| 50-00-1310 | ELECTRICAL SYSTEM - V-MUX - TRACTOR APP. | 1 |
| 50-00-2110 | PANAVISE SWIVEL MOUNTING BRACKET | 1 |
| 50-03-0001 | TEMPERATURE SENSOR & READ-OUT - EXTERNAL | 1 |
| 50-05-0000 | AMP DRAW REPORT - NFPA 1901, Section 9-15 | 1 |
| 50-06-0000 | MESSAGE DISPLAY - DO NOT MOVE TRUCK | 1 |
| 50-06-1110 | SAFETY INTERLOCK SYSTEM - MED/HD CHASSIS | 1 |
| 50-10-0100 | CAB CONSOLE - FLOOR MOUNT - INTERNATIONAL/FREIGHTLINER - VISIONMUX/V-MUX | 1 |
| 50-20-0200 | BRACKET- HAVIS-SHIELDS SIREN FOR WHELEN 295-Series | 1 |
| 50-40-0110 | CLEARANCE LIGHTS, LED & REFLECTORS W/CENTER REAR THIRD BRAKE | 1 |
| 50-40-0200 | CLEARANCE LIGHTS, LED & REFLECTORS - TRAILER | 1 |
| 50-40-1100 | LOWER AUXILIARY LED MARKER LIGHTS | 1 |
| 50-50-0200 | TAIL LIGHT ASSY - LED STOP/TURN/BACKUP with CHROME BEZELS | 1 |
| 50-50-4000 | STOP LIGHT, LED AUXILIARY UPPER (PR) | 1 |
| 50-50-6000 | JAKE BRAKE LIGHT ACTIVATION | 1 |
| 50-51-9000 | AUXILIARY LED TURN SIGNALS - AMBER, CENTER BODY | 1 |
| 51-10-1725 | SCENE LIGHT - SIDE - WHELEN 90 LED OPTI-SCENE (EA) | 4 |

| PART NO | DESCRIPTION | QTY |
|---|---|----------|
| 51-10-2515 | SCENE LIGHT - REAR - WHELEN 90 LED OPTI-SCENE (EA) | 2 |
| 51-11-0100 | SCENE LIGHT - REAR REVERSE ACTIVATED - V-MUX | 1 |
| 51-11-0150 | SCENE LIGHT - SIDE REVERSE ACTIVATED - V-MUX | 1 |
| 51-19-0110 | GROUND LIGHTS - TECNIQ LED - UNDERBODY MOUNTED (EA) | 7 |
| 51-19-0130 | GROUND LIGHTS ACTIVATED BY TURN SIGNALS /REVERSE | 1 |
| 51-50-1810 | COMPARTMENT LIGHTS - LED STRIP - 24" RECESSED | 12 |
| 51-50-1850 | COMPARTMENT LIGHTS - LED STRIP - 42" RECESSED | 8 |
| 51-55-1000 | COMP'T OPEN WARNING & AUTO ACTIVATION - V-MUX | 1 |
| 51-55-2000 | COMP'T OPEN WARNING BUZZER | 1 |
| 51-56-0100 | COMP'T OPEN WARNING LIGHT - LED | 1 |
| NFPA 1901 WARNING LIGHTS | | 1 |
| UPPER ZONE A - FRONT CAB WARNING LIGHTS | | 1 |
| 54-01-1556 | WHELEN JUSTICE JE2NFPA - 56" LIGHT BAR - V-END Configuration | 1 |
| LOWER ZONE A - FRONT CAB WARNING LIGHTS | | 1 |
| 54-10-07RC | WHELEN C7LRC RED SURFACEMAX - CLEAR LENS W/C7FC CHROMED BEZEL (ea) | 2 |
| 54-15-5000 | HEADLIGHT WIG-WAG PATTERN - V-MUX | 1 |
| LOWER ZONE B/D - CAB INTERSECTION WARNING LIGHTS | | 1 |
| 54-20-05RC | WHELEN 50R02ZCR RED SUPER-LED - CLEAR LENS W/5TSMAC CHROME BEZEL (ea) | 2 |
| LOWER ZONE B/D - SIDE BODY WARNING LIGHTS | | 1 |
| 54-21-06RC | WHELEN C6LRC RED SURFACEMAX - CLEAR LENS W/C6FC CHROMED BEZEL (ea) | 6 |
| LOWER ZONE C - REAR BODY WARNING LIGHTS | | 1 |
| 54-25-09RC | WHELEN C9LRC RED SURFACEMAX - CLEAR LENS W/C9FC CHROMED BEZEL (ea) | 2 |
| UPPER ZONE B/D - SIDE BODY WARNING LIGHTS | | 1 |
| 54-30-09RC | WHELEN C9LRC RED SURFACEMAX - CLEAR LENS W/C9FC CHROMED BEZEL (ea) | 4 |
| UPPER ZONE C - REAR BODY WARNING LIGHTS | | 1 |
| 54-31-09RC | WHELEN C9LRC RED SURFACEMAX - CLEAR LENS W/C9FC CHROMED BEZEL (ea) | 2 |
| AUDIBLE WARNING DEVICES | | 1 |
| 55-22-1000 | SIREN - WHELEN ELECTRONIC - 295SLSA1 | 1 |
| 55-30-1000 | HORN/SIREN SWITCH | 1 |
| 55-41-4020 | SPEAKER, SIREN - FREIGHTLINER M2 - THROUGH-THE-BUMPER (EA) | 1 |
| 58-50-1000 | 12VDC POWER STRIP - (6) TERMINALS - CAB | 1 |
| 58-80-1000 | BACK-UP ALARM - FEDERAL 210333 | 1 |
| 58-82-0005 | REARVIEW COLOR CAMERA W/NIGHTVISION & MONITOR - TRAILER | 1 |
| 59-59-0000 | ANTENNA COAXIAL W/CONNECTOR - MOTOROLA 17' | 1 |
| MISCELLANEOUS EQUIPMENT | | 1 |

| PART NO | DESCRIPTION | QTY |
|-------------------------------|---|----------|
| 89-99-9600 | DOT SAFETY KIT | 1 |
| ADMINISTRATIVE - FIXED | | 1 |
| 98-01-1000 | MANUAL, HACKNEY OWNERS W/SCHEMATICS | 1 |
| 98-10-1510 | PRE-DELIVERY CLEAN-UP - TRACTOR & TRAILER | 1 |
| 98-11-1000 | FUEL TANK FULL AT FACTORY DELIVERY (up to 50-gallon tank) | 1 |
| 99-99-9998 | TEST DRIVE & INSURANCE REQUIREMENTS | 1 |
| 99-99-9999 | SHOP ORDER APPROVAL | 1 |



STREETSIDE EXTERIOR VIEW


THIS PRINT AND ALL RIGHTS TO THE DESIGN AND DETAIL THEREON ARE THE PROPERTY OF VT HACKNEY AND IS LOANED TO THE RECIPIENT SUBJECT TO RETURN UPON DEMAND. ITS CONTENTS ARE CONFIDENTIAL AND MUST NOT BE COPIED OR SUBMITTED TO OUTSIDE PARTIES FOR USE OR EXAMINATION. COPYRIGHT 2015 VT HACKNEY A COMPANY OF VT SYSTEMS

© 2015 VT HACKNEY INC
 NOTE: ESTIMATED DIMENSIONS.
 MEASUREMENTS DEPEND ON CHASSIS,
 TIRES, SPRINGS, AND LOADING.

VT Hackney
 A company of VT Systems
 WASHINGTON, NC 27889-0880



| | | | | | |
|----------|--|----------|--|--------------------|--|
| DRAWN BY | | DATE | | CUSTOM DESIGN FOR: | |
| EES | | 02/01/18 | | NJPA | |
| SHEET | | 2 OF 3 | | CONTRACT # | |
| MODEL: | | TU-1982 | | DRAWING NO. | |
| | | SCALE | | 40 | |
| | | | | REV. | |
| | | | | - | |



CURBSIDE EXTERIOR

THIS PRINT AND ALL RIGHTS TO THE DESIGN AND DETAIL THEREON ARE THE PROPERTY OF VT HACKNEY AND IS LOANED TO THE RECIPIENT SUBJECT TO RETURN UPON DEMAND. ITS CONTENTS ARE CONFIDENTIAL AND MUST NOT BE COPIED OR SUBMITTED TO OUTSIDE PARTIES FOR USE OR EXAMINATION. COPYRIGHT 2015 VT HACKNEY A COMPANY OF VT SYSTEMS

© 2015 VT HACKNEY INC

NOTE: ESTIMATED DIMENSIONS.
MEASUREMENTS DEPEND ON CHASSIS,
TIRES, SPRINGS, AND LOADING.



VT Hackney
A company of VT Systems

WASHINGTON, NC 27889-0880



DRAWN BY: EES DATE: 02/01/18

SHEET: 1 OF 3

MODEL: TU-1982

SCALE: 40

CUSTOM DESIGN FOR: NJPA

CONTRACT #

DRAWING NO.

40

SCALE

TU-1982

MODEL:

SCALE

40

CONTRACT #

DRAWING NO.

40

SCALE

TU-1982

MODEL:


SCALE

40


CONTRACT #

DRAWING NO.

40



REAR VIEW



FRONT VIEW

THIS PRINT AND ALL RIGHTS TO THE DESIGN AND DETAIL THEREON ARE THE PROPERTY OF VT HACKNEY AND IS LOANED TO THE RECIPIENT SUBJECT TO RETURN UPON DEMAND. ITS CONTENTS ARE CONFIDENTIAL AND MUST NOT BE COPIED OR SUBMITTED TO OUTSIDE PARTIES FOR USE OR EXAMINATION. COPYRIGHT 2015 VT HACKNEY A COMPANY OF VT SYSTEMS

© 2015 VT HACKNEY INC

NOTE: ESTIMATED DIMENSIONS.
MEASUREMENTS DEPEND ON CHASSIS,
TIRES, SPRINGS, AND LOADING.



WASHINGTON, NC 27889-0880

CUSTOM DESIGN FOR:

NJPA

CONTRACT #

DRAWING NO.

DRAWN BY EES DATE 02/01/18

SHEET 3 OF 3

MODEL: TU-1982

SCALE 25

REV. -

